

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDES ID *	Organization Formal Name *	Organization Formal Name *					
GM G29	0541	Fieldwood Energy LLC						
		Organization Nated by Preparer						
		Fieldwood						
Reason f	or Submission *							
O Chan	ge operator legal name and address	Add s	tructures	0	Change structure information			
O Delet	e structures	Add I	imit set(s) for an existing permitted feature	0	Delete limit set(s) from an existing permitted feature			
dd Structure	S							
Non-Sen	sitive Areas							
Lease Bl	ock 1							
Lease Ar	ea Block Name "	Lease Area Block Number *	Lease Area Block BOEM Number *					
Ship Sh	pal	26	G01441	X				
Structu	re 1							

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#10	+ 29.10704	91.054	X
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Z ·	Produced Water (PR)	Sanitary & Contestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Figlios (WF)
Add Structure	e			
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#11	+ 29.098514	91.049866	X
Water Depth (in feet) 10	Built after 07/17/2006?* No			
X Committee at the	Cooling Water Intake Struc	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVI)
×	Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	∑ Well Ruide(WF)
Add Structur	e			
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#12	+ 29.098396 -	91.047171	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X	Cooling Water Intake Struc	cture (CW) Drilling Fluidsand Cuttings (DF)	∀ Hydrate Control Fluid (HF)	X Maintenance SMP (VVV)
X MacDischarge (4)	Produced Water (PR)	Sanitary & Domestic WW, Deck Draidage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure	e			
Structure 4				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#13	+ 29.097104 -	91.047723	X
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance SMP (WM)
	Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	∑ Well Fluids (WF)
Add Structur	e			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#14	+ 29.098255	91.0497192	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X Charle Treated Sits	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance SMP (WM)
X MacDacos et al	Produced Water (PR)	San tary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	∑ Well Ruide (WF)
Add Structur	e			
Structure 6				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#4	+ 29.103623	91.0524789	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X Chan head of	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMF (WM)
X 20 000 00 00	Produced Water (PR)	Sanitary & Doraettic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	X Well Fluids (VF)
Add Structur	e			
Structure 7				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	1
Platform	SS-26#7	+ 29.104235 -	91.078308	X
Water Depth (in feet)	Built after 07/17/2006?* No			
(2)	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure	e			
Structure 8				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26#9	+ 29.097016 -	91.044983] X
Water Depth (in feet)	Built after 07/17/2006?* No			
X Cara Terrandan	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance SVP (WM)
X **********	Produced Water (PR)	San Cary & Demetric WW, Deck Drainage (yAW)	Stock Base Fluid Drill (SB)	₩ell Fill de (WF)
Add Structure	e			
Structure 9				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26A	+ 29.108594 -	91.058101] X
Water Depth (in feet)	Built after 07/17/2006?* No			
XI same transfer	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	⊠ Maintenance BWF (WW)
XIM to Discuss on 14	Produced Water (PR)	Sanitary & Dometitic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	■ Well Fluide (WF)
Add Structure	e			
Structure 10				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26B-HTR	+ 29.108113 -	91.058103	X
Water Depth (in feet)	Built after 07/17/2006?*			
9	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X comment	Produced Water (PR)	Sectory & Obsessio AVV. Deck Drainage (VAV)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure	3			
Structure 11				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26C-CMP	+ 29.108595	91.058336	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X cara marka	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVM)
X Mac Discourge (4)	Produced Water (PR)	San tary & Domentic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	
Add Structure		urtan ada (anta)	_	
Structure 12				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26D-QTR	+ 29.10887	91.058335	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X com Transition	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)		Maintenance BMP (WM)
X expenses e	Produced Water (PR)	🔀 San Cary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	X Well Fluide (VF)
Add Structure	2			
Structure 13				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-26E	+ 28.108113 -	91.058234	X
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Struct	ure (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VM)
(Z) Machania and	Produced Water (PR)	Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	₩eii Fluidk (AVF)
Add Structure		v.u. ugu (i.i.i.)		
Lease Block 2				
Lease Area Block Name*	Lease Area Block Number*	Lease Area Block BOEM Number*		
Ship Shoal South Additio	274	G01039	X	
Structure 1				
Type * Platform	Description SS-274A	Latitude (in decimal degrees) * + 28.320828 -	Longitude (in decimal degrees) * 91.212833	X
Water Depth (in feet)	Built after 07/17/2006?*			·
235	No			
	Cooling Water Intake Struct		Hydrate Control Fluid (HF)	∑ Mantenance BMF (WM)
X Marketine and Mark		Sanitary & Demostry VVA. Deck Oransa je vstvo	Stock Base Fluid Drill (SB)	∑ Well Fluide(WF)
Add Structure				
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	SS-274C	+ 28.311042 -	91.208915	X
Water Depth (in feet)	Built after 07/17/2006?* No			
210		ura (CMA) Drilling Eluida and Cuttings (DE)	Wedgete Control Elvid /UES	TVI streetmen on \$110 street
		ure (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenence BMP (VM)
X startman	Produced Water (PR)	i <u>Al</u> Drainage (WW)	Stock Base Fluid Drill (SB)	Well Pulida (WF)
Add Structure				
Lease Block 3				

Lease Area Block Name * Ship Shoal South Addition		Lease Area Block Number * Lea		ock BOEM Number*		
		293	G01043		X	
Structure 1						
Type *	Description		Latitude (in decima	al degrees) *	Longitude (in decimal degrees) *	
Platform	SS-293B		+ 28.281722	-	91.201497	
Water Depth (in fee	et) Built after (07/17/2006?*				
236	No					
X		Cooling Water Intake Struct	ure (CW) Drilling Flu	idsand Cuttings (DF)	─────────────────────────────────	X Maintenance BMP (VM)
× section of		Produced Water (PR)	\boxtimes (*)		Stock Base Fluid Drill (SB)	New Florida (VF)
Add Struc	dure					
Add Lease B	lock					
ensitive Areas						
Add Lease B	lock					
	1					
cation information						
F. -	C D	and Delica	/DD\	Form Action *		
EX.	o Pers	onal Privac	Cy (PP)	Approve		
				260		

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.